

0,90%) 1,57% ( 2012 1,32% 2008 ).  
 2529,8  
 0,61% (2,21%  
 ) 31,45% 94,95%  
 1. , . . . . .  
 .3, .3: . - .205-207. , 2004. -  
 2. . . . . . -3 / . . . . .  
 2000. - .51-57. .34. - . . . . . " " . . . . .


577.113.3:591.111.1

« . . . . . »

( ) -

( ),

(1, 2, 3, 5, 6)



: 1) 0,06; 2) 0,03; 3)

( / )

1 -

	52,4 ± 5,1
	98,7 ± 12,9
	< 0,01

1. Effects of steroid hormone deficiency on the distribution of hepatic metabolites and control of pathways of carbohydrate metabolism in liver and adipose tissue of the rat / N.Z. Bequer [et al.] // *Europ.J.Biochem.* – 1976. – v.68. – P. 403- 414.
2. Casazza, J.P. The content of pentose cycle intermediates in liver starved fed ad libitum and meal fed rats / J.P. Casazza, R.L. Veech // *J. Biochem.* – 1986. – v.261. – 2. – P. 690-698.
3. Phosphoribosylpyrophosphate synthetase in human erythrocytes: assay and kinetic studies using high-performance liquid chromatography / R. Sakuma [et al.] // *Clin.Chim.Acta.* – 1991. – N16. – P. 143-152. [2]
4. . . . . // , 2010, 1 (29), 39-42.
5. Mitschke L. et al. The Crystal Structure of Human Transketolase and New Insights into Its Mode of Action. // *The J. of Biol. Chem.* – 2010. – v..285. – P. 31559-31570.
6. Sakuma R., Nishina, T., Yamanaka H., Kamatani, N., Nishioka, K., Maeda, M., Tsuji, A. //Phosphoribosylpyrophosphate synthetase in human erythrocytes: assay and kinetic studies using high-performance liquid chromatography//. *Clin.Chim.Acta.* 1991. N16. P.143-152.).